

**CLAIM SET AS AMENDED**

Claims 1-3 (Canceled)

4. (Previously Presented) An image correction apparatus comprising:  
a reflective scanner for reading a print image which has an identifying  
mark provided at a position of a defect on a scanned image of the print image;

and

an image correction section for correcting image data of said scanned  
image by utilizing the position of said identifying mark on the scanned image  
read by the reflective scanner.

5. (Previously Presented) The image correction apparatus according to  
claim 4, wherein the image correction section corrects image data of the  
scanned image data by comparing the image data of the scanned image with  
fine scan image data of the print image.

6. (Previously Presented) The image correction apparatus according to  
claim 4, further comprising:

an image display unit for displaying an image of said image data in an  
enlarged state corresponding to the position of said identifying mark on said  
scanned image.

7. (Previously Presented) The image correction apparatus according to claim 4, wherein said image correction section detects the position of said identifying mark by comparing the image data of said print image with the image data of said scanned image.

8. (Withdrawn) A digital photoprinter comprising:  
a scanner for photoelectrically reading a print image on a film; and  
an image recording unit, said image recording unit further including  
an image processing apparatus for performing image processing on image data read by the scanner;  
an image correction apparatus for correcting a defect in the image data read by the scanner;  
wherein said image correction apparatus further includes  
a reflective scanner for reading a print image which has an identifying mark provided at a position of a defect on a scanned image of the print image;  
and  
an image correction section for correcting image data of said scanned image by utilizing the position of said identifying mark on the scanned image read by the reflective scanner; and

a printer for outputting a print that has been processed and corrected in the digital photoprinter.

9. (Withdrawn) The digital photoprinter according to claim 8, wherein the image correction section corrects image data of the scanned image data by comparing the image data of the scanned image with fine scan image data of the print image.

10. (Withdrawn) The digital photoprinter according to claim 8, further comprising:

an image display unit for displaying an image of said image data in an enlarged state corresponding to the position of said identifying mark on said scanned image.

11. (Withdrawn) The digital photoprinter according to claim 8, wherein said image correction section detects the position of said identifying mark by comparing the image data of said print image with the image data of said scanned image.

12. (Previously Presented) The image correction apparatus according to claim 4, wherein the identifying mark is manually provided by an operator.

13. (Withdrawn) The digital photoprinter according to claim 8, wherein the identifying mark is manually provided by an operator.

14. (New) A digital photoprinter comprising:

a scanner for photoelectrically reading a print image on a film; and

an image recording unit, said image recording unit further including

an image processing apparatus for performing image processing on image data read by the scanner;

an image correction apparatus for correcting a defect in the image data read by the scanner;

wherein said image correction apparatus further includes

a reflective scanner for reading a print image which has an identifying mark provided at a position of a defect on a scanned image of the print image; and

an image correction section for correcting image data of said scanned image by utilizing the position of said identifying mark on the scanned image read by the reflective scanner; and

a printer for outputting a print that has been processed and corrected in the digital photoprinter,

wherein the image correction section corrects image data of the scanned image data by comparing the image data of the scanned image with fine scan image data of the print image,

the digital photoprinter further comprising:

an image display unit for displaying an image of said image data in an enlarged state corresponding to the position of said identifying mark on said scanned image.